




MANUFACTURERS OF

DRYWALL SCREWS

SELF DRILLING SCREWS



MADE IN UAE

GROUP PROFILE

The Classic Group comprises 4 operating companies in four business sectors: Industrial and Automotive Fasteners, Aluminium Extrusions, Steel Trading, and Architectural Hardware and Tools. Mr. Shabbir A. Shaikh, the Managing Director is also the founder of the Group. Classic Group is a closely held family owned company with the 5 core values of integrity, commitment, excellence, unity and passion embedded in its everyday work culture.

Our Group Head office is located in Sharjah – United Arab Emirates (U.A.E) and our manufacturing plants are situated in Sharjah, U.A.E and Mumbai, India. All four companies are ISO certified. We dedicate ourselves to operational excellence by pursuing continuous improvement in all of our operations. We are committed to work across our enterprise to deliver quality products and services that enable our customers to increase efficiency thus achieving a new level of progress.



CLASSIC METALLIC SHEET FACTORY LLC (CMSF) - SHARJAH

Founded in 1992, Classic Metallic Sheet Factory LLC (Classic Metallic) is one of the leading Fastener and Fixings manufacturer and solutions provider in the Middle East. Classic Metallic Sheet Factory LLC comprises 4 divisions: Rivet manufacturing, Anchor Bolt (Bent Bolt) and Stud Bolt manufacturing, Steel Trading and Hot Dip Galvanizing. We are ISO 9001-2000 certified manufacturers of High Tensile Fasteners, Blind Rivets, Anchor Bolts; Type J and Type L (as per customer drawing), U Bolts and Stud Bolts with in-house Hot Dip Galvanizing and Fluoropolymer Coating facilities in the U.A.E.

CLASSIC EXTRUSIONS LLC (CLEX) - SHARJAH

Classic Extrusions LLC (CLEX) is located in the Sharjah Industrial Area 17. The sophisticated and modern plant is equipped with 1375 Ton & 1800 Ton Oil Hydraulic Extrusion Presses. The plant has an annual capacity of 10,800 Tons. Our products are available with standard thickness for medium to heavy applications suitable for anodizing, powder coating or any other surface treatment of different shapes and sizes.

CLASSIC FASTENING SYSTEMS PVT LTD (CFS) - MUMBAI

Classic Fastening Systems Pvt Ltd (CFS) is situated in New Mumbai. CFS has been incorporated on August 18th 2005 in the state of Maharashtra, India. The primary focus of the company is to manufacture quality fasteners for the local manufacturing industry. CFS has been established with a vision of becoming one of the leading suppliers of rivets and related tools to major industries throughout the Sub-Continent region.

CLASSIC METALLIC - FASTENER DIVISION - SHARJAH - UAE

Our latest venture has been the establishment of Classic Metallic - Fastener Division in 2008. This company has emerged as a pioneer in the fastener industry by being the first company in the Middle East to manufacture Cold Forging and Hot Forging Stainless Steel Fasteners. Situated in an area of 12,000 sq. mtr. and with the latest forging machines and quality control procedures, we can make Stainless Steel Bolts, Nuts, Socket Screws and Threaded Bars in SS304, SS316 and SS316L. Test certificates of wire rod and the final product are given to the customer as assurance that the products meet international standards and specifications.

Manufacturing Facilities

Heading



Pinch Pointing

Threading



Heat Treatment



Electroplating




Phosphate Coating




DRYWALL SCREWS



Bugle Head Phillips
Twinfast Thread



PHILLIPS (H)




d	dk (max)	k	z	p
M3.5	7.8-8.2	0.8	No.2	1.49
M3.9	7.8-8.2	0.8	No.2	1.59
M4.2	8-8.4	0.8	No.2	1.69
M4.8	8.2-8.6	0.8	No.2	2.12

Material: Carbon Steel Case Hardened


Corrosion Protection: Black/Grey Phosphate Coated, $\geq 5 \mu\text{m}$ Zinc Plated, $\geq 5 \mu\text{m}$, Yellow Chromated



Bugle Head Phillips
Coarse Thread



PHILLIPS (H)



d	dk (max)	k	z	p
M3.5	7.8-8.2	0.8	No.2	2.82
M3.9	7.8-8.2	0.8	No.2	2.82
M4.2	8-8.4	0.8	No.2	2.82
M4.8	8.2-8.6	0.8	No.2	3.18

Material: Carbon Steel Case Hardened

Corrosion Protection: Black/Grey Phosphate Coated, $\geq 5 \mu\text{m}$ Zinc Plated, $\geq 5 \mu\text{m}$, Yellow Chromated

DRYWALL SCREWS SIZE



SIZE (mm)

3.5 x 19	3.9 x 25	4.2 x 32	4.8 x 38
3.5 x 25	3.9 x 32	4.2 x 38	4.8 x 50
3.5 x 28	3.9 x 35	4.2 x 50	4.8 x 75
3.5 x 32	3.9 x 38	4.2 x 63	4.8 x 90
3.5 x 35	3.9 x 41	4.2 x 75	4.8 x 100
3.5 x 38	3.9 x 45	4.2 x 80	
3.5 x 41	3.9 x 50	4.2 x 90	

SIZE (inch)

# 6 x 3/4"	# 7 x 1"	# 8 x 1-1/4"	# 10 x 1-1/2"
# 6 x 1"	# 7 x 1-1/4"	# 8 x 1-1/2"	# 10 x 2"
# 6 x 1-1/8"	# 7 x 1-3/8"	# 8 x 2"	# 10 x 3
# 6 x 1-1/4"	# 7 x 1-1/2"	# 8 x 2-1/2"	# 10 x 3-1/2"
# 6 x 1-3/8"	# 7 x 1-5/8"	# 8 x 3"	# 10 x 4"
# 6 x 1-1/2"	# 7 x 1-3/4"		
# 6 x 1-5/8"	# 7 x 2"		

SELF DRILLING SCREWS

Bugle Phillips




Application:

For using Drywall board to metal frame
pre drilled holes are not required for installation

Features:

Precise cutting edges to improve drill
performance with less effort
Bugle heads and CSK heads are available
as per the requirement



Size Inch	Dia. x Length mm	Drill Point	Drill Capacity mm
# 6-20 x 1"	3.5 x 25	# 2	1 - 2.0
# 6-20 x 1-1/8"	3.5 x 28	# 2	1 - 2.0
# 6-20 x 1-1/4"	3.5 x 32	# 2	1 - 2.0
# 6-20 x 1-5/8"	3.5 x 41	# 2	1 - 2.0
# 6-20 x 2"	3.5 x 50	# 2	1 - 2.0
# 8-18 x 1"	4.2 x 25	# 2	1 - 2.0
# 8-18 x 1-1/4"	4.2 x 32	# 2	1 - 2.0
# 8-18 x 2"	4.2 x 50	# 2	1 - 2.0
# 8-18 x 3"	4.2 x 75	# 2	1 - 2.0

Material: Carbon Steel Case Hardened
Corrosion Protection: Black/Grey Phosphate Coated, $\geq 5 \mu\text{m}$ Zinc Plated, $\geq 5 \mu\text{m}$, Yellow Chromated

WAFER SELF DRILLING SCREWS




Applications:

- Residential steel frame construction
- For using in object like polycarbonate sheet, shadow cover

Features:

- Truss head design on purpose using
- Non-walking point provides fast material engagement



Size Inch	Dia. x Length mm	Drill Point	Drill Capacity mm
# 6-20 x 7/16"	3.5 x 11	# 2	1.0 - 2.0
# 8-18 x 1/2"	4.2 x 13	# 2	1.0 - 2.0
# 8-18 x 5/8"	4.2 x 16	# 2	1.0 - 2.0
# 8-18 x 3/4"	4.2 x 19	# 2	1.0 - 2.0
# 8-18 x 1"	4.2 x 25	# 2	1.0 - 2.0

Material: Carbon Steel Case Hardened
Corrosion Protection: Black/Grey Phosphate Coated, $\geq 5 \mu\text{m}$ Zinc Plated, $\geq 5 \mu\text{m}$, Yellow Chromated

PAN FRAMING HEAD SELF DRILLING SCREWS




Size Inch	Dia. x Length mm	Drill Point	Drill Capacity mm
# 6-20 x 7/16"	3.5 x 11	# 2	1.0 - 2.0
# 7-20 x 7/16"	3.8 x 11	# 2	1.0 - 2.0

Material: Carbon Steel Case Hardened
Corrosion Protection: Black/Grey Phosphate Coated, $\geq 5 \mu\text{m}$ Zinc Plated, $\geq 5 \mu\text{m}$, Yellow Chromated

Quality Control and Packing

- Salt Spray Testing Machine
- Vicker Hardness Tester
- Tensile Testing Machine
 - Torque Tester
 - Penetration Tester
 - Profile Projector
- Precise Cutting Machine
 - Polishing Machine
 - Hot Moulding Press





Sharjah, United Arab Emirates



Head Office:

P.O. Box 5841, Classic Extrusions Bldg.,
Industrial Area 17, Sharjah, UAE.
Tel: +971 6 534 7297, Fax: +971 6 534 7298

Factory:

P.O. Box 5841, Industrial Area 15, Sharjah, UAE.
Tel: +971 6 535 6038, Fax: +971 6 535 6390

Abu Dhabi branch:

P.O. Box 113901, Abu Dhabi, UAE.
Tel: +971 2 553 8046, Fax: +971 2 553 8064